

PRODUCTS CATALOGUE 2022

www.skymesen.com

Skymesen®



BUTCHERY

MEAT TENDERIZERS

AB MEAT TENDERIZER, STAINLESS STEEL, WITH SAFETY SYSTEM



Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	435 x 225 x 510 mm
Package size (H x W x L)	480 x 280 x 530 mm
Net / gross weight	23,10 kg / 25,00 kg
Approximate output	400 kg/h
Max. beef thickness	13 mm
Max. beef height	150 mm
HS code	84385000
EAN-13	7895707623880 7895707623897 7895707623903



Accessory sold separately:
KES-AB/ABS 10
Meat strip cutter kit - AB/ABS 10 mm

ABS MEAT TENDERIZER, STAINLESS STEEL, WITH SAFETY SYSTEM



Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	470 x 260 x 500 mm
Package size (H x W x L)	500 x 320 x 530 mm
Net / gross weight	22,00 kg / 23,80 kg
Approximate output	400 kg/h
Max. beef thickness	13 mm
Max. beef height	150 mm
HS code	84385000
EAN-13	7895707546103 7895707546110 7895707546127



Accessory sold separately:
KES-AB/ABS 10
Meat strip cutter kit - AB/ABS 10 mm

ABSC MEAT STRIP CUTTER, STAINLESS STEEL, WITH SAFETY SYSTEM



Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	435 x 225 x 510 mm
Package size (H x W x L)	480 x 280 x 530 mm
Net / gross weight	23,10 kg / 25,00 kg
Approximate output	400 kg/h
Max. beef thickness	13 mm
Max. beef height	150 mm
HS code	84385000
EAN-13	7895707670549 7895707670556 7895707670563

ABS-HD MEAT TENDERIZER, STAINLESS STEEL, WITH SAFETY SYSTEM, HEAVY DUTY



Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	465 x 245 x 530 mm
Package size (H x W x L)	510 x 340 x 560 mm
Net / gross weight	27,10 kg / 29,50 kg
Approximate output	500 kg/h
Max. beef thickness	20 mm
Max. beef height	170 mm
HS code	84385000
EAN-13	7895707657434 7895707657458 7895707657441

Accessories sold separately:
KES-ABS-HD10
Meat strip cutter kit - ABS-HD 10 mm
KES-ABS-HD12
Meat strip cutter kit - ABS-HD 12 mm

ABN-HD MEAT TENDERIZER, STAINLESS STEEL, WITH SAFETY SYSTEM, HEAVY DUTY



Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Consumption	0,37 kW-h
Dimensions (H x W x L)	540 x 475 x 240 mm
Package size (H x W x L)	590 x 510 x 310 mm
Net / gross weight	25,00 kg / 28,00 kg
Approximate output	500 kg/h
Max. beef thickness	20 mm
Max. beef height	200 mm
HS code	84385000
EAN-13	7895707289055 7895707289079 7895707289062



Accessories sold separately:
KES-ABS-HD10
Meat strip cutter kit - ABS-HD 10 mm
KES-ABS-HD12
Meat strip cutter kit - ABS-HD 12 mm

MEAT SLICERS

FC-350

MEAT SLICER, STAINLESS STEEL, BLADE 350 mm

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Consumption	0,37 kW-h
Dimensions (H x W x L)	525 x 750 x 720 mm 525 x 750 x 760 mm 525 x 750 x 720 mm
Package size (H x W x L)	650 x 865 x 665 mm
Net / gross weight	52,00 kg / 64,00 kg 49,70 kg / 65,50 kg 52,00 kg / 64,00 kg
Disc diameter	350 mm
Cutting thickness	0-40 mm
HS code	84385000
EAN-13	7895707387690 7895707120884 7895707226982



PSP-98M

MEAT GRINDER 98, STAINLESS STEEL

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	2 HP
Dimensions (H x W x L)	590 x 400 x 850 mm
Package size (H x W x L)	600 x 515 x 950 mm
Net / gross weight	61,00 kg / 75,50 kg
Approximate output	450 kg/h
HS code	84385000
EAN-13	7895707546288 7895707546301 7895707546295



MEAT GRINDERS WITH FIXED PROTECTION AND STAINLESS STEEL MOUTH

PS-22

MEAT GRINDER 22, STAINLESS STEEL WITH STAINLESS STEEL MOUTH

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	2 HP
Dimensions (H x W x L)	530 x 325 x 720 mm
Package size (H x W x L)	515 x 415 x 810 mm
Net / gross weight	40,00 kg / 47,50 kg
Approximate output	300 kg/h
HS code	84385000
EAN-13	7895707623682 7895707623699 7895707623705



MEAT MIXERS

MMS-50I

MEAT MIXER WITH COVER, 50 kg

Voltage / frequency / phases	110/220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	0,5 HP
Consumption	0,37 kW-h
Dimensions (H x W x L)	1.000 x 390 x 940 mm
Package size (H x W x L)	1.175 x 530 x 1.060 mm
Net / gross weight	80,00 kg / 105,00 kg
Approximate output	600 kg/h
Rotation	50 rpm
Tank capacity	70 L / 50 kg
HS code	84385000
EAN-13	7895707227231 7895707052956



PSP-98M

MEAT GRINDER 98, STAINLESS STEEL WITH STAINLESS STEEL MOUTH

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	2 HP
Dimensions (H x W x L)	590 x 400 x 850 mm
Package size (H x W x L)	600 x 515 x 950 mm
Net / gross weight	55,50 kg / 70,00 kg
Approximate output	450 kg/h
HS code	84385000
EAN-13	7895707623712 7895707623729 7895707623736



MEAT GRINDERS WITH FIXED PROTECTION

PS-10

MEAT GRINDER 10, STAINLESS STEEL

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	1 HP
Dimensions (H x W x L)	530 x 325 x 710 mm
Package size (H x W x L)	495 x 415 x 800 mm
Net / gross weight	34,50 kg / 42,00 kg
Approximate output	200 kg/h
HS code	84385000
EAN-13	7895707546196 7895707546219 7895707546202



MEAT MIXER-GRINDERS

HS-98

MEAT MIXER-GRINDER 98, STAINLESS STEEL WITH STAINLESS STEEL MOUTH

Voltage / frequency / phases	220 V / 50 Hz / 3 220 V / 60 Hz / 3 380 V / 50 Hz / 3 380 V / 60 Hz / 3
Power rating	3-0,5 HP
Dimensions (H x W x L)	1.300 x 520 x 1.200 mm
Package size (H x W x L)	1.500 x 680 x 1.330 mm
Net / gross weight	183,00 kg / 203,00 kg
Approximate output	900 kg/h
Hopper size	41 L / 31 kg
HS code	84385000
EAN-13	7895707668379 7895707668386 7895707668393 7895707668409



PS-22

MEAT GRINDER 22, STAINLESS STEEL

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	2 HP
Dimensions (H x W x L)	530 x 325 x 720 mm
Package size (H x W x L)	515 x 415 x 810 mm
Net / gross weight	41,00 kg / 48,50 kg
Approximate output	300 kg/h
HS code	84385000
EAN-13	7895707546226 7895707546240 7895707546233



TABLE BAND SAWS

SF

TABLE BAND SAW, BLADE 1.740 mm / 68,5"

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,75 HP
Dimensions (H x W x L)	895 x 550 x 520 mm
Package size (H x W x L)	1.070 x 625 x 675 mm
Net / gross weight	37,40 kg / 54,60 kg
Cutting clearance (H x W)	170 x 170 mm
Table dimensions (W x L)	450 x 500 mm
Blade length	1.740 mm
Blade speed	600 m/min 500 m/min 600 m/min
HS code	84659190
EAN-13	7895707704022 7895707704046 7895707704039



SF-282 / SL-282 / SF-295 / SL-295

BAND SAW, WITH MOVABLE TABLE, CUT REGULATOR, BLADE 2.820 mm (111") / BLADE 2.950 mm (116")

Model	SF-282 / SL-282	SF-295 / SL-295
Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	2 HP	2 HP
Dimensions (H x W x L)	1.675 x 800 x 835 mm	1.740 x 850 x 870 mm
Package size (H x W x L)	1.910 x 1.030 x 1.030 mm	1.910 x 1.030 x 1.030 mm
Net / gross weight	75,00 kg / 102,00 kg	75,00 kg / 102,00 kg
Cutting clearance (H x W)	380 x 230 mm	440 x 230 mm
Table dimensions (W x L)	695 x 805 mm	695 x 805 mm
Blade length	2.820 mm	2.950 mm
Blade speed	800 m/min 700 m/min 800 m/min	800 m/min 700 m/min 800 m/min
HS code	84659190	84659190
EAN-13	7895707651227 7895707651241 7895707651234 7895707650930 7895707651067 7895707651050	7895707703759 7895707703797 7895707703780 7895707703728 7895707703742 7895707703735




SBL

TABLE BAND SAW, STAINLESS STEEL, WITH CUT REGULATOR

BLADE 1.740 mm / 68,5

Voltage / frequency / phases	110V / 60 Hz / 1 220V / 50 Hz / 1 220V / 60 Hz / 1
Power rating	0,75 HP
Dimensions (H x W x L)	895 x 550 x 520 mm
Package size (H x W x L)	1.070 x 625 x 675 mm
Net / gross weight	37,40 kg / 54,60 kg
Cutting clearance (H x W)	170 x 170 mm
Table dimensions (W x L)	450 x 500 mm
Blade length	1.740 mm
Blade speed	600 m/min 500 m/min 600 m/min
HS code	84659190
EAN-13	7895707703995 7895707704015 7895707704008



SFL-282HD / SFL-295HD

BAND SAW, STAINLESS STEEL, WITH MOVABLE TABLE, CUT REGULATOR, HEAVY DUTY BLADE 2.820 mm (111") / BLADE 2.950 mm (116")

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	2 HP
Dimensions (H x W x L)	1.900 x 900 x 980 mm
Package size (H x W x L)	2.060 x 1.080 x 1.100 mm
Net / gross weight	110,00 kg / 164,00 kg
Cutting clearance (H x W)	350 x 330 mm
Table dimensions (W x L)	870 x 810 mm
Blade length	2.820 mm
Blade speed	900 m/min 700 m/min 900 m/min
HS code	84659190
EAN-13	7895707624061 7895707623941 7895707623958




BAND SAWS

SF-218 / SL-218

BAND SAW, WITH CUT REGULATOR, BLADE 2.180 mm / 86"

Model	SF-218	SL-218
Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	1,5 HP	1,5 HP
Dimensions (H x W x L)	1.540 x 630 x 645 mm	1.540 x 630 x 645 mm
Package size (H x W x L)	1.670 x 810 x 850 mm	1.670 x 840 x 810 mm
Net / gross weight	56,00 kg / 75,00 kg	56,00 kg / 75,00 kg
Cutting clearance (H x W)	230 x 190 mm	230 x 190 mm
Table dimensions (W x L)	570 x 600 mm	570 x 600 mm
Blade length	2.180 mm	2.180 mm
Blade speed	900 m/min 700 m/min 900 m/min	901 m/min 700 m/min 900 m/min
HS code	84659190	84659190
EAN-13	7895707651128 7895707651142 7895707651135	7895707623910 7895707623927 7895707623934



SKG

BAND SAW, MOVABLE TABLE, BLADE 3.150 mm / 124"


Voltage / frequency / phases	110/220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	2 HP
Consumption	1,47 kW/h
Dimensions (H x W x L)	1.820 x 915 x 824 mm
Package size (H x W x L)	2.030 x 1.100 x 1.000 mm
Net / gross weight	120,00 kg / 156,00 kg
Cutting clearance (H x W)	430 x 390 mm
Table dimensions (W x L)	790 x 820 mm
Blade length	3.150 mm
Blade speed	500 m/min 400 m/min
HS code	84659190
EAN-13	7895707227736 7895707122154



SFL-315HD

BAND SAW, STAINLESS STEEL, WITH MOVABLE TABLE, CUT REGULATOR, BLADE 3.150 mm / 124" HEAVY DUTY

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	2 HP
Dimensions (H x W x L)	2.000 x 970 x 1.050 mm
Package size (H x W x L)	2.130 x 1.140 x 1.170 mm
Net / gross weight	127,00 kg / 203,00 kg
Cutting clearance (H x W)	380 x 380 mm
Table dimensions (W x L)	930 x 880 mm
Blade length	3.150 mm
Blade speed	800 m/min 700 m/min 800 m/min
HS code	84659190
EAN-13	7895707624276 7895707623965 7895707623972



SI-315HD

BAND SAW, STAINLESS STEEL, WITH MOVABLE TABLE, CUT REGULATOR, BLADE 3.150 mm / 124" HEAVY DUTY



Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	2 HP
Dimensions (H x W x L)	1.900 x 915 x 990 mm
Package size (H x W x L)	2.080 x 1.220 x 1.250 mm
Net / gross weight	136,00 kg / 190,00 kg
Cutting clearance (H x W)	345 x 390 mm
Table dimensions (W x L)	780 x 820 mm
Blade length	3.150 mm
Blade speed	500 m/min 400 m/min 500 m/min
HS code	84659190
EAN-13	7895707546431 7895707546455 7895707546448



BAR AND RESTAURANT

CUTTERS

CR-4L / CR-8L

CUTTER, STAINLESS STEEL, WITH SAFETY SYSTEM, 4 / 8 LITERS

Accessories sold separately:
LDF-4L
Cooked meat shredding blade
LDF-8L
Cooked meat shredding blade



Model	CR-4L	CR-8L
Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP	1 HP
Dimensions (H x W x L)	460 x 265 x 290 mm	530 x 310 x 310 mm
Package size (H x W x L)	510 x 325 x 315 mm	610 x 360 x 380 mm
Net / gross weight	14,30 kg / 15,30 kg	17,30 kg / 19,00 kg
Bowl volume	4 L	8 L
HS code	84386000	84386000
EAN-13	7895707623989 7895707623996 7895707624009	7895707624016 7895707624023 7895707624030



SLICER

SEMI AUTOMATIC SLICERS

CFI-300L-N

SLICER, STAINLESS STEEL, BLADE 300 mm



Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,33 HP
Dimensions (H x W x L)	440 x 560 x 570 mm
Package size (H x W x L)	560 x 700 x 700 mm
Net / gross weight	27,00 kg / 40,00 kg
Disc diameter	300 mm
Cutting thickness	0-15 mm
Cutting dimensions (H x W)	160 x 160 mm
HS code	84385000
EAN-13	7895707496026 7895707496040 7895707496033

PEELERS

DA-06

GARLIC PEELER, STAINLESS STEEL, 4 kg

Voltage / frequency / phases	220 V / 50 Hz / 1 110/220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	585 x 490 x 390 mm
Package size (H x W x L)	620 x 390 x 390 mm
Net / gross weight	20,70 kg / 22,50 kg
Approximate output	70 kg/h
Capacity per cycle	4 kg
HS code	84386000
EAN-13	7895707675124 7895707675117



DAL-06S

GARLIC PEELER, STAINLESS STEEL, 4 kg

Voltage / frequency / phases	110/220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	0,5 HP
Consumption	0,37 kW-h
Dimensions (H x W x L)	630 x 390 x 390 mm
Package size (H x W x L)	680 x 410 x 410 mm
Net / gross weight	18,20 kg / 21,00 kg
Approximate output	70 kg/h
Capacity per cycle	4 kg
HS code	84386000
EAN-13	7895707640832 7895707640849



AUTOMATIC SLICERS

CA-300L

SLICER, STAINLESS STEEL, BLADE 300 mm



Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,33 HP
Dimensions (H x W x L)	610 x 640 x 700 mm
Package size (H x W x L)	710 x 760 x 830 mm
Net / gross weight	47,20 kg / 68,20 kg
HS code	84385000
EAN-13	7895707546493 7895707546516 7895707546509

DC-06

ONION PEELER, STAINLESS STEEL, 6 kg

Voltage / frequency / phases	220 V / 50 Hz / 1 110/220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	585 x 490 x 390 mm
Package size (H x W x L)	620 x 390 x 390 mm
Net / gross weight	20,70 kg / 22,50 kg
Approximate output	120 kg/h
Capacity per cycle	6 kg
HS code	84386000
EAN-13	7895707674929 7895707674912



DB-06

POTATO PEELER, STAINLESS STEEL, 6 kg

Voltage / frequency / phases	110/220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	0,5 HP
Consumption	0,18 kW-h
Dimensions (H x W x L)	630 x 390 x 390 mm
Package size (H x W x L)	680 x 410 x 410 mm
Net / gross weight	18,00 kg / 20,80 kg
Approximate output	120 kg/h
Capacity per cycle	6 kg
HS code	84386000
EAN-13	7895707226906 7895707041141



DB-10

POTATO PEELER, WITH DOOR, STAINLESS STEEL, 10 kg

Voltage / frequency / phases	110/220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	0,5 HP
Consumption	0,37 kW-h
Dimensions (H x W x L)	720 x 475 x 580 mm
Package size (H x W x L)	760 x 530 x 630 mm
Net / gross weight	24,20 kg / 27,60 kg
Approximate output	200 kg/h
Capacity per cycle	10 kg
HS code	84386000
EAN-13	7895707120853 7895707041172



DB-25HD

POTATO PEELER, WITH DOOR AND TIMER, STAINLESS STEEL, 25 kg, HEAVY DUTY

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	1 HP
Consumption	0,73 kW-h
Dimensions (H x W x L)	1.155 x 550 x 670 mm
Package size (H x W x L)	1.350 x 630 x 750 mm
Net / gross weight	45,00 kg / 64,00 kg
Approximate output	500 kg/h
Capacity per cycle	25 kg
HS code	84386000
EAN-13	7895707352193 7895707352261 7895707352209



Accessory sold separately:
CC-25HD
Peel Strainer Box

CITRUS JUICERS

EX

CITRUS JUICER, STAINLESS STEEL, ALUMINUM LIQUID CHAMBER

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	0,25 HP
Consumption	0,18 kW-h
Dimensions (H x W x L)	425 x 245 x 210 mm
Package size (H x W x L)	530 x 295 x 265 mm
Net / gross weight	4,00 kg / 5,00 kg
Fruits per minute	8
Rotation	1.750 rpm
HS code	84388090
EAN-13	7895707226951 7895707174894



EX SUPER

CITRUS JUICER, STAINLESS STEEL, ALUMINUM LIQUID CHAMBER

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	0,5 HP
Consumption	0,37 kW-h
Dimensions (HxWxL)	425 x 245 x 210 mm
Package size (HxWxL)	530 x 295 x 265 mm
Net / gross weight	6,00 kg / 7,00 kg
Fruits per minute	8
Rotation	1.750 rpm
HS code	84388090
EAN-13	7895707703025 7895707663008



ESB-N

CITRUS JUICER, STAINLESS STEEL, STAINLESS STEEL LIQUID CHAMBER

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	0,25 HP
Consumption	0,33 kW-h
Dimensions (HxWxL)	440 x 360 x 270 mm
Package size (HxWxL)	410 x 450 x 320 mm
Net / gross weight	5,40 kg / 6,40 kg
Fruits per minute	8
Rotation	1.750 rpm
HS code	84388090
EAN-13	7895707461604 7895707461611



ESB SUPER-N

CITRUS JUICER, STAINLESS STEEL, STAINLESS STEEL LIQUID CHAMBER

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Consumption	0,50 kW-h
Dimensions (H x W x L)	440 x 360 x 270 mm
Package size (H x W x L)	410 x 450 x 320 mm
Net / gross weight	10,30 kg / 11,30 kg
Fruits per minute	8
Rotation	1.750 rpm
HS code	84388090
EAN-13	7895707461635 7895707461642 7895707461659



CENTRIFUGAL JUICE EXTRACTORS

CSE

CENTRIFUGAL JUICE EXTRACTOR, STAINLESS STEEL, WITH SAFETY SYSTEM

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	670 x 560 x 300 mm
Package size (H x W x L)	610 x 460 x 330 mm
Net / gross weight	15,50 kg / 17,00 kg
Rotation	3.500 rpm
HS code	84351000
EAN-13	7895707589926 7895707589940 7895707589933



ELECTRIC FRYERS OIL

FE-10-N

ELECTRIC FRYER, 5 LITERS, STAINLESS STEEL

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	2.000 W 2.500 W
Dimensions (H x W x L)	280 x 300 x 670 mm
Package size (H x W x L)	400 x 370 x 560 mm
Net / gross weight	4,00 kg / 5,60 kg
Tank capacity	5 L
Basket dimensions (H x W x L)	105 x 190 x 220 mm
Basket max. load	0,6 kg
Frying area (W x L)	240 x 300 mm
HS code	84198190
EAN-13	7895707441873 7895707441880



FED-20-N

ELECTRIC FRYER, TWO 5 LITERS TANKS, STAINLESS STEEL

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	2.000 W (2x) 2.500 W (2x)
Dimensions (H x W x L)	280 x 610 x 670 mm
Package size (H x W x L)	390 x 650 x 550 mm
Net / gross weight	7,80 kg / 10,10 kg
Tank capacity	5 L (2x)
Basket dimensions (H x W x L)	105 x 190 x 220 mm
Basket max. load	0,6 kg
Frying area (W x L)	240 x 300 mm (2x)
HS code	84198190
EAN-13	7895707441897 7895707441903



FREIDORAS ELÉCTRICAS TURBO ZONA FRÍA - ACEITE

FCZ-N / FCZR-N

ELECTRIC FRYER COLD ZONE, 18 LITERS, STAINLESS STEEL / TURBO ELECTRIC FRYER COLD ZONE, 18 LITERS, STAINLESS STEEL

Model	FCZ-N	FCZR-N
Voltage / frequency / phases	220 V / 50-60 Hz / 1	220 V / 50-60 Hz / 1
Power rating	5.000 W	8.000 W
Dimensions (H x W x L)	1.210 x 830 x 710mm	1.210 x 830 x 710 mm
Package size (H x W x L)	1.050 x 530 x 550 mm	1.050 x 530 x 550 mm
Net / gross weight	14,80 kg 18,00 kg	20,00 kg 23,30 kg
Tank capacity	18 L	18 L
Basket dimensions (H x W x L)	105 x 360 x 360mm	105 x 360 x 360 mm
Basket max. load	2 kg	2 kg
Frying area (W x L)	378 x 378 mm	378 x 378 mm
HS code	84198190	84198190
EAN-13	7895707639744	7895707639737



HIGH SPEED BLENDERS 1,5 LITERS

L11.5

HIGH SPEED BLENDER, STAINLESS STEEL,
STAINLESS STEEL CUP, 1,5 LITERS

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	900 W
Dimensions (H x W x L)	405 x 210 x 190 mm
Package size (H x W x L)	480 x 205 x 205 mm
Net / gross weight	1,92 kg / 2,50 kg
Rotation	18.000 rpm
Max. cup volume	1,5 L
HS code	84386000
EAN-13	7895707202450 7895707202467



HIGH SPEED BLENDERS 2,0 LITERS

L12

HIGH SPEED BLENDER, STAINLESS STEEL,
STAINLESS STEEL CUP, 2,0 LITERS

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	900 W
Dimensions (H x W x L)	420 x 200 x 190 mm
Package size (H x W x L)	520 x 205 x 205 mm
Net / gross weight	2,17 kg / 2,83 kg
Rotation	18.000 rpm
Max. cup volume	2 L
HS code	84386000
EAN-13	7895707324695 7895707324701



TA2

HIGH SPEED BLENDER, STAINLESS STEEL,
STAINLESS STEEL CUP, 2,0 LITERS

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	1.000 W
Dimensions (H x W x L)	450 x 215 x 205 mm
Package size (H x W x L)	515 x 215 x 215 mm
Net / gross weight	2,50 kg / 3,22 kg
Rotation	22.000 rpm
Max. cup volume	2 L
HS code	84386000
EAN-13	7895707054837 7895707054844



BM2

MAXI BLENDER, HIGH SPEED, TRITAN CUP,
WITH VARIABLE SPEED, 2,0 LITERS

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	2.238 W
Dimensions (H x W x L)	505 x 205 x 230 mm
Package size (H x W x L)	285 x 245 x 345 mm
Net / gross weight	4,15 kg / 5,15 kg
Rotation	38.000 rpm
Max. cup volume	2 L
HS code	84386000
EAN-13	7895707658813 7895707658820



Accessory sold separately:
CCBF2
Complete jar BPA free 2L, without mixing rod

BS2

SUPREME BLENDER, HIGH SPEED, TRITAN CUP,
WITH PRE-PROGRAMMED FUNCTIONS, 2,0 LITERS

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	2.238 W
Dimensions (HxWxL)	505 x 205 x 230 mm
Package size (HxWxL)	285 x 245 x 345 mm
Net / gross weight	4,28 kg / 5,25 kg
Rotation	38.000 rpm
Max. cup volume	2 L
HS code	84386000
EAN-13	7895707658899 7895707658905



Accessory sold separately:
CCTB2
Complete jar BPA free 2L, without mixing rod

HIGH SPEED BLENDERS 4,0 LITERS

TA4

HIGH SPEED BLENDER, STAINLESS STEEL, STAINLESS STEEL SEAMLESS CUP, 4,0 LITERS

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	1.200 W
Dimensions (H x W x L)	700 x 270 x 240 mm
Package size (H x W x L)	480 x 530 x 320 mm
Net / gross weight	5,30 kg / 6,80 kg
Rotation	22.000 rpm
Max. cup volume	4 L
HS code	84386000
EAN-13	7895707492493 7895707492509



COMMERCIAL BLENDERS

LC2 / LC3 / LC4 / LC6 / LC8 / LC10

COMMERCIAL BLENDER, STAINLESS STEEL, STAINLESS STEEL SEAMLESS CUP 2 / 3 / 4 / 6 / 8 / 10 LITERS

Model	LC2	LC3	LC4	LC6	LC8	LC10
Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	0,5 HP	0,5 HP	0,5 HP	0,5 HP	0,5 HP	0,5 HP
Dimensions (HxWxL)	660 x 240 x 255 mm	660 x 240 x 255 mm	660 x 290 x 280 mm	720 x 310 x 300 mm	750 x 330 x 320 mm	780 x 340 x 330 mm
Package size (HxWxL)	420 x 480 x 300 mm	430 x 530 x 310 mm	430 x 530 x 310 mm	480 x 530 x 320 mm	520 x 530 x 320 mm	550 x 345 x 545 mm
Net / gross weight	4,30 kg / 5,30 kg	4,50 kg / 5,40 kg	5,00 kg / 5,90 kg	5,25 kg / 6,15 kg	5,30 kg / 6,50 kg	5,50 kg / 6,80 kg
Rotation	4.500 rpm	4.500 rpm	4.500 rpm	4.500 rpm	4.500 rpm	4.500 rpm
Max. cup volume	2 L	3,6 L	4 L	6 L	8 L	10 L
HS code	84386000	84386000	84386000	84386000	84386000	84386000
EAN-13	7895707615052 7895707615083	7895707615038 7895707615045	7895707615069 7895707615076	7895707615090 7895707615106	7895707653191 7895707653207	7895707653214 7895707653221



COMMERCIAL BLENDERS WITH REMOVABLE CUTTING UNIT

LAR-02MB / LAR-04MB / LAR-06MB / LAR-08MB / LAR-10MB

LICUADORA COMERCIAL, INOXIDABLE, VASO MONOBLOQUE EN ACERO INOXIDABLE 2 / 4 / 6 / 8 / 10 LITROS

Model	LAR-02MB	LAR-04MB	LAR-06MB	LAR-08MB	LAR-10MB
Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP	0,5 HP	0,5 HP	0,5 HP	0,5 HP
Consumption	0,37 kW-h	0,37 kW-h	0,37 kW-h	0,37 kW-h	0,37 kW-h
Dimensions (H x W x L)	640 x 240 x 270 mm	630 x 275 x 260 mm	720 x 310 x 300 mm	750 x 330 x 320 mm	780 x 340 x 330 mm
Package size (H x W x L)	420 x 300 x 480 mm	430 x 530 x 310 mm	480 x 530 x 320 mm	520 x 550 x 330 mm	550 x 550 x 350 mm
Net / gross weight	8,20 kg / 9,20 kg	8,70 kg / 9,80 kg	8,90 kg / 10,00 kg	9,90 kg / 11,10 kg	10,30 kg / 11,60 kg
Rotation	3.500 rpm 3.000 rpm 3.500 rpm	3.500 rpm 3.000 rpm 3.500 rpm	3.500 rpm 3.000 rpm 3.500 rpm	3.500 rpm 3.000 rpm 3.500 rpm	3.500 rpm 3.000 rpm 3.500 rpm
Max. cup volume	2 L	4 L	6 L	8 L	10 L
HS code	84386000	84386000	84386000	84386000	84386000
EAN-13	7895707472693 7895707472686 7895707472709	7895707472723 7895707472716 7895707472730	7895707472754 7895707472747 7895707472761	7895707472785 7895707472778 7895707472792	7895707472815 7895707472808 7895707472822



COMMERCIAL TILTING BLENDERS WITH REMOVABLE CUTTING UNIT

LAR-15PMB / LAR-25PMB

COMMERCIAL TILTING BLENDER, STAINLESS STEEL SEAMLESS CUP 15 / 25 LITERS



Model	LAR-15PMB	LAR-25PMB
Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	1,5 HP	1,5 HP
Consumption	1,10 kW-h	1,10 kW-h
Dimensions (H x W x L)	1.120 x 365 x 525 mm	1.180 x 410 x 525 mm
Package size (H x W x L)	1.130 x 400 x 560 mm	1.190 x 420 x 560 mm
Net / gross weight	19,00 kg 21,60 kg	20,50 kg 23,50 kg
Rotation	3.500 rpm 3.000 rpm 3.500 rpm	3.500 rpm 3.000 rpm 3.500 rpm
Max. cup volume	19 L	25 L
HS code	84386000	84386000
EAN-13	7895707703155 7895707422186 7895707422193	7895707703179 7895707422209 7895707422216

COMMERCIAL TILTING BLENDERS WITH STAINLESS STEEL STAND AND REMOVABLE CUTTING UNIT

LAR-15LMB / LAR-25LMB

COMMERCIAL TILTING BLENDER, STAINLESS STEEL STAND AND SEAMLESS CUP 15 / 25 LITERS



Model	LAR-15LMB	LAR-25LMB
Tensión eléctrica / frecuencia / fases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Potencia	1,5 HP	1,5 HP
Consumo	1,10 kW-h	1,10 kW-h
Dimensiones (Al x An x L)	1.120 x 365 x 525 mm	1.180 x 410 x 525 mm
Dimensiones del embalaje (AL x An x L)	1.130 x 400 x 560 mm	1.190 x 420x 560 mm
Peso neto / bruto	19,00 kg / 21,60 kg	20,50 kg 23,50 kg
Rotación	3.500 rpm 3.000 rpm 3.500 rpm	3.500 rpm 3.000 rpm 3.500 rpm
Volumen máximo de vaso	19 L	25 L
Partida arancelaria	84386000	84386000
EAN-13	7895707703148 7895707411647 7895707411630	7895707703162 7895707411661 7895707411654

FOOD PROCESSORS

PA-7

FOOD PROCESSOR, STAINLESS STEEL, WITH 7 DISCS DIAMETER 203 mm

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	520 x 290 x 520 mm
Package size (H x W x L)	590 x 400 x 570 mm
Net / gross weight	25,10 kg / 28,60 kg
Approximate output	250 kg/h
Rotation	438 rpm
Disc diameter	203 mm
HS code	84386000
EAN-13	7895707589896
	7895707589919
	7895707589902



PAIE

FOOD PROCESSOR, STAINLESS STEEL, WITH SAFETY SYSTEM (DISC DIAMETER 203 mm)

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Consumption	0,37 kW-h
Dimensions (H x W x L)	440 x 250 x 590 mm
Package size (H x W x L)	510 x 315 x 650 mm
Net / gross weight	22,30 kg / 25,50 kg
Approximate output	350 kg/h
Disc diameter	203 mm
HS code	84386000
EAN-13	7895707122000
	7895707121928
	7895707188877



PA-14-N

FOOD PROCESSOR, WITH 6 DISCS
DIAMETER 429 mm

Voltage / frequency / phases	110 V / 60 Hz / 1
Power rating	1 HP
Dimensions (H x W x L)	700 x 530 x 660 mm
Package size (H x W x L)	960 x 695 x 825 mm
Net / gross weight	71,50 kg / 99,00 kg
Approximate output	400 kg/h
Rotation	510 rpm
Disc diameter	429 mm
HS code	84386000
EAN-13	7895707496750



GRATERS

RQC

CHEESE AND COCONUT GRATER, STAINLESS STEEL, WITH 3 DISCS

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	420 x 200 x 570 mm
Package size (H x W x L)	470 x 290 x 600 mm
Net / gross weight	15,50 kg / 17,00 kg
Approximate output	85 kg/h
Rotation	1.750 rpm
Disc diameter	138 mm
HS code	84386000
EAN-13	7895707686557
	7895707686564
	7895707686571



TG

ICE CRUSHER

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	410 x 200 x 565 mm 420 x 200 x 570 mm 420 x 200 x 570 mm
Package size (H x W x L)	470 x 290 x 600 mm
Net / gross weight	16,00 kg / 17,80 kg 15,50 kg / 17,00 kg 15,50 kg / 17,00 kg
Approximate output	50 kg/h
Rotation	1.750 rpm
Disc diameter	138 mm
HS code	84388090
EAN-13	7895707686588
	7895707686595
	7895707686601



FOOD PROCESSORS DISCS

USAGE INDICATION ▲ PA-7 ● PA-14-N ■ PAIE

Check below disks availability for each processor. Be aware, some discs are not interchangeable between different processor models.

SLICER



E1
1 mm



E1,5
1,5 mm



E3
3 mm



E5
5 mm



E10
10 mm



141-E1,5
1,5mm



141-E3
3mm



EH3
3mm



EH7
7mm



SCALLOP CUT



W2
2mm



W3
3mm



W4
4mm



GRATER



V



141-V




141-Z3
3mm



141-Z5
5mm




141-Z8
8mm



Z3
3mm



Z5
5mm



Z8
8mm



JULIENNE



H2,5
2,5 mm



H3
3 mm




H7
7 mm




CORTE CUBO



GC8
8mm



GC12
12mm



GC16
16mm



FRENCH FRY DISC



GP
10mm



Combined with disc **E10** or **H7** or **EH7**

Combined with disc **E10**

FBC GREEN BANANA CHIPS SLICER

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	400 x 200 x 435 mm
Package size (H x W x L)	470 x 290 x 600 mm
Net / gross weight	14,50 kg / 16,00 kg
Approximate output	85 kg/h
Rotation	1.750 rpm
Disc diameter	138 mm
HS code	84386000
EAN-13	7895707686526 7895707686533 7895707686540



DOUGH OPENERS

AMP-400 / AMP-500 DOUGHBALL OPENER, FLATTNER AND FORMER



Model	AMP-400	AMP-500
Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP	0,5 HP
Consumption	0,5 kW.h	0,5 kW.h
Dimensions (H x W x L)	760 x 705 x 590 mm	835 x 780 x 650 mm
Package size (H x W x L)	950 x 800 x 710 mm	1.010 x 880 x 800 mm
Net / gross weight	68,30 kg / 89,50 kg	100,00 kg / 132,00 kg
Max. aperture size	40 cm	51 cm
HS code	84381000	84381000
EAN-13	7895707579736 7895707579743 7895707570689	7895707621794 7895707621817 7895707621800

Included	AMP-400	AMP-500
Tray #1	Flat tray	Flat tray and edge shaping groove 40 cm (16")
Tray #2	Tray edge shaping grooves 25 cm (10") and 35 cm (14")	Tray edge shaping grooves 30 cm (12") and 45 cm (18")
Tray #3	Tray edge shaping grooves 30 cm (12") and 40 cm (16")	Tray edge shaping grooves 35 cm (14") and 50 cm (20")

Separately sold trays for AMP-400	
4BBN25/35	Neapolitan tray edge shaping grooves 25 cm (10") and 35 cm (14")
4BBN30/40	Neapolitan tray edge shaping grooves 30 cm (12") and 40 cm (16")
Separately sold trays for AMP-500	
5BLB37	Flat tray and edge shaping groove 37 cm (15")
5BLBN40	Neapolitan flat tray and edge shaping groove 40 cm (16")
5BBN30/45	Neapolitan tray edge shaping grooves 30 cm (12") and 45 cm (18")
5BBN35/50	Neapolitan tray edge shaping grooves 35 cm (14") and 50 cm (20")

STONE DECK OVENS

FLP-400A ELECTRIC STONE DECK PIZZA OVEN, ANALOGIC

Voltage / frequency / phases	220 V / 50-60 Hz / 1
Power rating	3.300 W
Dimensions (H x W x L)	310 x 700 x 710 mm
Package size (H x W x L)	375 x 785 x 780 mm
Net / gross weight	38,00 kg / 41,00 kg
Internal dimensions (H x W x L)	150 x 420 x 400 mm
Internal volume	25,5 L
Temperature	0-400 °C
Approx. baking time (raw dough)	2-3 min
Max pizza size	Ø40 cm
HS code	85141010
EAN-13	7895707669109



FLP-400D ELECTRIC STONE DECK PIZZA OVEN, DIGITAL

Voltage / frequency / phases	220 V / 50-60 Hz / 1
Power rating	3.300 W
Dimensions (H x W x L)	310 x 700 x 710 mm
Package size (H x W x L)	375 x 785 x 780 mm
Net / gross weight	38,00 kg / 41,00 kg
Internal dimensions (HxWxL)	150 x 420 x 400 mm
Internal volume	25,5 L
Temperature	0-400 °C
Approx. baking time (raw dough)	2-3 min
Max pizza size	Ø40 cm
HS code	85141010
EAN-13	7895707669093



ICE CREAM PARLOR

MILKSHAKE MIXERS

BMS MILKSHAKE MIXER, STAINLESS STEEL CUP, 1 MIXER

Voltage / frequency / phases	110 V / 50-60 Hz / 1 220 V / 50-60 Hz / 1
Power rating	500 W
Consumption	0,5 kW.h
Dimensions (H x W x L)	470 x 210 x 150 mm
Package size (H x W x L)	520 x 245 x 230 mm
Net / gross weight	3,80 kg / 4,40 kg
Rotation	15.000 rpm
Max. cup volume	0,8 L
HS code	84342090
EAN-13	7895707324756 7895707324763



FRONT

SIDE

BAKERY

PLANETARY MIXERS



BPS-06 PLANETARY MIXER, MULTIPLE SPEEDS, 6 LITERS

Voltage / frequency / phases	110-220 V / 50-60 Hz / 1
Power rating	250 W
Motor power	500 W
Consumption	0,50 kW.h
Dimensions (H x W x L)	420 x 230 x 380 mm
Package size (H x W x L)	470 x 290 x 440 mm
Net / gross weight	12,60 kg / 14,00 kg
Bowl volume	6 L
HS code	84381000
EAN-13	7895707387751 (White) 7895707650589 (Red) 7895707650602 (Black) 7895707650602 (Black) 7895707650602 (Orange) 7895707650596 (Pink) 7895707650626 (Blue)

Available colors

650617

650595

650587

650609

650625

387754

DOUGH ROLLERS

CLM-300L

TABLE LAMINATING DOUGH ROLLER, STAINLESS STEEL, ROLLS OF 300MM, STANDARD

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Consumption	0,37 kW-h
Dimensions (H x W x L)	520 x 500 x 560 mm
Package size (H x W x L)	690 x 660 x 710 mm
Net / gross weight	43,50 kg / 57,00 kg
Rotation	77 rpm
HS code	84381000
EAN-13	7895707391673 7895707398313 7895707398290



CLM-400

TABLE LAMINATING DOUGH ROLLER, STAINLESS STEEL, ROLLS OF 400 mm

Voltage / frequency / phases	110/220 V / 60 Hz / 1 220 V / 50 Hz / 1
Power rating	1 HP
Consumption	0,73 kW-h
Dimensions (H x W x L)	650 x 600 x 800 mm
Package size (H x W x L)	850 x 710 x 710 mm
Net / gross weight	67,20 kg / 85,00 kg
Rotation	77 rpm
HS code	84381000
EAN-13	7895707598249 7895707598256



BREAD CRUMB MILLS

MPAL

BREAD CRUMBS MILL, STAINLESS STEEL WITH REMOVABLE CUP

Voltage / frequency / phases	110 V / 60 Hz / 1 220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	0,5 HP
Dimensions (H x W x L)	760 x 310 x 315 mm
Package size (H x W x L)	420 x 370 x 490 mm
Net / gross weight	10,00 kg / 11,30 kg
HS code	84381000
EAN-13	7895707546721 7895707546745 7895707546738



DOUGH DIVIDERS

DMS-30

DOUGH DIVIDER

Dimensions (H x W x L)	1.100 x 450 x 430 mm
Package size (H x W x L)	1.180 x 530 x 530 mm
Net / gross weight	33,00 kg / 54,00 kg
HS code	84381000
EAN-13	7895707235113



CONVECTION TURBO OVENS, ELECTRICAL, WITH 4 TRAYS 35x35 cm

MAXICONV

ELECTRIC CONVECTION TURBO OVEN, COMPACT, WITH 4 TRAYS 35x35 cm

Model	MAXICONV SV	MAXICONV VP
Voltage / frequency / phases	220 V / 50 Hz / 1 220 V / 60 Hz / 1	220 V / 50 Hz / 1 220 V / 60 Hz / 1
Power rating	3.000 W	3.000 W
Dimensions (H x W x L)	440 x 600 x 710 mm	440 x 600 x 710 mm
Package size (H x W x L)	505 x 680 x 790 mm	505 x 680 x 790 mm
Net / gross weight	29,00 kg / 32,00 kg	29,00 kg / 32,00 kg
Internal dimensions (H x W x L)	350 x 355 x 375 mm	350 x 355 x 375 mm
Internal volume	46,8 L	46,8 L
Temperature	0-210 °C	0-210 °C
Breads per cycle (50g)	48	48
Height between roasting pans	75 mm	75 mm
HS code	85141010	85141010
EAN-13	7895707685284 7895707674837	7895707685291 7895707674844



CONVECTION TURBO OVENS, ELECTRICAL, 4 TRAYS 40x60 cm

DISCOVERY 4 / DISCOVERY 4C / DISCOVERY 4E

TURBO OVEN, ELECTRICAL, 4 TRAYS



Model	DISCOVERY 4 WITHOUT FERMENTATION CHAMBER	DISCOVERY 4C WITH STAND	DISCOVERY 4E WITH FERMENTATION CHAMBER
Voltage / frequency / phases	220 V / 50 Hz / 3 220 V / 60 Hz / 3 380 V / 50 Hz / 3 380 V / 60 Hz / 3	220 V / 50 Hz / 3 220 V / 60 Hz / 3 380 V / 50 Hz / 3 380 V / 60 Hz / 3	220 V / 50 Hz / 3 220 V / 60 Hz / 3 380 V / 50 Hz / 3 380 V / 60 Hz / 3
Power rating	7.000 W	7.000 W	8.000 W
Dimensions (H x W x L)	750 x 1.030 x 980 mm	1.650 x 1.030 x 980 mm	1.700 x 1.030 x 980 mm
Package size (H x W x L)	990 x 1.390 x 1.390 mm	1.910 x 1.390 x 1.390 mm	1.910 x 1.390 x 1.390 mm
Net / gross weight	110,00 kg / 150,00 kg	130,00 kg / 238,00 kg	160,00 kg / 268,00 kg
Temperature	230 °C	230 °C	230 °C
Breads per cycle (50g)	100	100	100
Height between roasting pans	90 mm	90 mm	90 mm
HS code	85141010	85141010	85141010
EAN-13	7895707610910 7895707609792 7895707610927 7895707609808	7895707610934 7895707609815 7895707610941 7895707609822	7895707610958 7895707609839 7895707610965 7895707609846
LOAD CAPACITY PER PROCESS			
04 Trays 40 x 60 cm with 5 Waves		80 Breads with 50g Each	
04 Trays 40 x 60 cm with 4 Waves		64 Breads with 50g Each	
04 Trays 40 x 60 cm with 5 Waves		100 Breads with 50g Each	

CONVECTION TURBO OVENS, ELECTRICAL, 10 TRAYS 60x70 cm

DISCOVERY 10

TURBO OVEN, ELECTRICAL, 10 TRAYS, 360 BREADS



Voltage / frequency / phases	220 V / 60 Hz / 3 220 V / 50 Hz / 3 380 V / 60 Hz / 3 380 V / 50 Hz / 3
Power rating	20.000 W
Dimensions (H x W x L)	1.900 x 1.070 x 1.490 mm
Package size (H x W x L)	2.030 x 1.310 x 1.730 mm
Net / gross weight	250,00 kg / 280,00 kg
Temperature	230 °C
Breads per cycle (50g)	300
Height between roasting pans	110 mm
HS code	85141010
EAN-13	7895707609778 7895707610897 7895707609785 7895707610903
Maximum Temperature	250°C



In Skymesen you can trust.

Metalúrgica Skymesen Ltda.

Rodovia Ivo Silveira, 9525
Volta Grande
88355-202, Brusque / SC

www.skymesen.com



Follow us:

